




Foscarini

Spokes 1 MyLight

Oberfläche

- koperen
- zwart
- goud
- grafiet
- wit

Technical details

| | |
|--|--|
| Land van herkomst |  Italië |
| Fabrikant | Foscarini |
| Ontwerper | Studio García Cumini |
| jaar | 2015 |
| Beschermingsklasse / IP-bescherming | IP20 |
| Leveringsomvang | LED |
| voltage geschiktheid | 230 - 240 Volt |
| Diameter in cm | 33 |
| materiaal | ABS, aluminium, polycarbonaat, staal |
| kabellengte | 340 cm |
| Hoogte-instelling | hoogte bepaalbaar |
| dimmen | met Casambi module |
| Wattage | 30 W |
| LED | inclusief |
| Kleurweergave-index | >90 |
| Kleurtemperatuur in Kelvin | 2.700 extra warm wit |
| luisel Dimensions | 16 cm |
| prestaties van het systeem | 1 x 25 Watt + 1 x 5 Watt |
| Totale lichtstroom in lm | 3.000 |
| lichtverdeling | licht in de kamer |
| Dimensions | H 71 cm Ø 33 cm |

Omschrijving

The Foscarini Spokes 1 MyLight pendant lamp has an elongated lamp shade with a height of 71 cm and a diameter of 32.5 cm. The shade consists of metal spokes which are fixed vertically. The spokes are made of round steel tubes and are painted with matt epoxy powder. The pendant lamp is available in white, copper, black, gold and graphite surfaces. Two LEDs with a total output of 30 watts are integrated as illuminants. The transparent electrical supply runs along a spoke in the lamp shade and is therefore not visible from the outside. The suspension cable can be shortened if necessary and has a maximum length of 340 cm. On request, the lamp is also available with a longer cable.

The Spokes 1 MyLight is regulated and dimmed via Bluetooth with Casambi App by smartphone or tablet (IOS, Android). This allows the light intensity to be regulated from 0-100% without the need for new devices, switches, cabling or Internet connections. The lamp only needs to be installed and connected via Bluetooth to a smartphone etc. Further configurations by qualified personnel are not required. The lamp is also available as Spokes 1 in a non-dimmable and a DALI dimmable version.